

Desmear Remover

Oxidizing agent for the permanganate process



Packaging

HUBER GmbH
Junkersring 15 | 53844 Troisdorf
Tel. +49 (0)2241 234 99-0 | Fax +49 (0)2241 234 99-10
info@huber-graphics.com | www.huber-graphics.com

20 liter cans, 200 liter drums, 1.000 liter IBC

Features and Benefits

Increased efficiency through high permanganate-concentration

therefore safe contacting of the inner copper layers

Product Usage

Oxidising agent for oxidizing the Manganate(VI)-ions

Storage and Shelf Life

Store in a cool and dry place
Expiry time: 12 months

Technical Specifications

Density: 1,391

Colour: blue-violet

Odour: barely noticeable

Water miscible: slightly

Evaporation: slowly

Directions

Add Desmear Remover into the Permanganete module and bath pre-treated circuit board into the Desmear Remover solution.

Operating parameters

concentration NaOH: 40g/L

temperature: 70-80°C

Exposition time: tank application ca. 7 minutes, horizontal line ca. 0,5m/ min at 1m module length

PRINT CURRENT PAGE

Autorized Economic Operator
Customs simplification & Security

Member of
Forschungsgesellschaft Druck e.V.

OUR ADDRESS

HUBER GmbH
Junkersring 15 (Factory 1) &
Junkersring 42 (Factory 2)
53844 Troisdorf / Germany

Phone: +49(0)2241 234 99-0
Fax: +49(0)2241 234 99-10
Email: info@huber-graphics.com

HUBER NEWSLETTER

Subscribe now for our HUBER-Newsletter.

Subscribe

© HUBER GmbH 2024

HUBER GmbH
Junkersring 15 | 53844 Troisdorf
Tel. +49 (0)2241 234 99-0 | Fax +49 (0)2241 234 99-10
info@huber-graphics.com | www.huber-graphics.com