

COMPANY


PRODUCTS

APPLICATION TECHNOLOGY

DOWNLOADS

CONTACT US

NEWSLETTER



RapidFlux FX

Fluxing Agent for Hot Air Levelling (HAL)



Packaging

HUBER GmbH

Junkersring 15 | 53844 Troisdorf

Tel. +49 (0)2241 234 99-0 | Fax +49 (0)2241 234 99-10

info@huber-graphics.com | www.huber-graphics.com

Features and Benefits

- Effective protection of the circuit board for hot air levelling
- Suitable for tin-free process
- Long-term stability
- Very easy rinse-off

Product Usage

Fluxing Agent for Hot Air Levelling (HAL)

Storage and Shelf Life

Store in a cool and dry place
Expiry time: 12 months

Technical Specifications

- Density: 1,075
- Flash Point: > 300°C
- Colour: dark red
- Odour: characteristic
- Water miscible: yes
- Evaporation: slow

HUBER GmbH

Junkersring 15 | 53844 Troisdorf

Tel. +49 (0)2241 234 99-0 | Fax +49 (0)2241 234 99-10
info@huber-graphics.com | www.huber-graphics.com

Directions

Seite 3 / 4

Fluxing of the Circuit Board before Hot Air Levelling Process (HAL)

[PRINT CURRENT PAGE](#)



Authorized Economic Operator
Customs simplification & Security



Member of
Forschungsgesellschaft Druck e.V.

OUR ADDRESS

HUBER GmbH
Junkersring 15 (Factory 1) &
Junkersring 42 (Factory 2)
53844 Troisdorf / Germany

[To the e-mail form ...](#)

HUBER GmbH

Junkersring 15 | 53844 Troisdorf

Tel. +49 (0)2241 234 99-0 | Fax +49 (0)2241 234 99-10
info@huber-graphics.com | www.huber-graphics.com

Phone: +49(0)2241 234 99-0

Fax: +49(0)2241 234 99-10

Email: info@huber-graphics.com

HUBER NEWSLETTER

Subscribe now for our HUBER-Newsletter.

[Subscribe](#)

© HUBER GmbH 2024

[Sitemap](#)

[Imprint](#)

[Datenschutz](#)

[Search](#)

HUBER GmbH

Junkersring 15 | 53844 Troisdorf

Tel. [+49 \(0\)2241 234 99-0](tel:+49(0)2241234990) | Fax [+49 \(0\)2241 234 99-10](tel:+49(0)22412349910)

info@huber-graphics.com | www.huber-graphics.com